Country Stone

Manufacturers of Quality Concrete Products

PRODUCTS














GIVE US A CALL: 039 976 1066

info@countrystone.co.za

239 Payne Street, Park Rynie

FLAGSTONES ..... PG 3&4
COBBLESTONES ..... PG 5
COPING ..... PG 6
CLADDING ..... PG 7
BEVEL EDGED PAVERS ..... PG 8
RETAINERS ..... PG 9
BRICKS & BLOCKS ..... PG 10&11
LINTELS ..... PG 12
RIB & BLOCK SYSTEM ..... PG 13&14
KERBING ..... PG 15
CEMENT SLEEPERS ..... PG 16
GRASS BLOCK PAVERS ..... PG 17




039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

FLAGSTONES

Flagstones are versatile landscaping materials, perfect for a wide range of outdoor applications, including pathways, patios, and pool surroundings. These products are popular choices for both residential and commercial projects, offering a blend of durability, aesthetic appeal, and functionality. Cement flagstones are designed to withstand the elements while adding charm to any outdoor space.


We offer an extensive range of products in various colours, sizes, and textures to complement your home and style.

500MM FLAGSTONE




Size: 500mm x 500mm x 40mm
Units per M²: 4 Units
Weight per Unit: 24.5kg

400MM FLAGSTONE



Size: 400mm x 400mm x 40mm
Units per M²: 6.25 Units
Weight per Unit: 14kg

400MM FLAGSTONE TILE



Size: 400mm x 400mm x 20mm
Units per M²: 6.25 Units
Weight per Unit: 7kg

400X265 FLAGSTONE



Size: 400mm x 265mm x 40mm
Units per M²: 9.5 Units
Weight per Unit: 11kg

265X130 FLAGSTONE



Size: 265mm x 130mm x 40mm
Units per M²: 29 Units
Weight per Unit: 3kg

450MM STEPSTONE




Size: 450mm x 450mm x 40mm
Units per M²: 4 Units
Weight per Unit: 17kg

039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

FLAGSTONES

Country Stone
Manufacturers of Quality Concrete Products

1000X1000 FLAGSTONE



Size: 1000mm x 1000mm x 65mm
Units per M²: 1 Unit
Weight per Unit: 160kg

1000X500 FLAGSTONE



Size: 1000mm x 500mm x 45mm
Units per M²: 2 Units
Weight per Unit: 45kg

Colour Options



Light Brown | Grey | Charcoal | Sandstone | Light Brown Blend | Grey Blend | Sandstone Blend | Sandstone Red Blend



039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie


COBBLESTONES

Our cobbles are designed for large driveways and parking areas and can also be used for pathways, patios, and garden borders. They add a touch of rustic charm to any outdoor setting. Timeless and renowned for their versatility and classic appeal, cobbles are a great addition to any space.



Size: 130mm x 130mm x 50mm **Units per M²:** 56 Units **Weight per Unit:** 2kg

Colour Options



Light Brown | Grey | Charcoal | Sandstone | Light Brown Blend | Grey Blend | Sandstone Blend | Sandstone Red Blend







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

COPING


Cement coping tiles are used for pool edges, garden walls, and seating areas. They provide a durable and stylish finish. Their robust construction withstands harsh weather and frequent use, making them perfect for residential and commercial spaces. The smooth, crafted coping edge enhances visual cohesion and safety.

500MM COPING



Size: 500mm x 500mm x 40mm
Units per LM: 2 Units
Weight per Unit: 25kg

400MM COPING



Size: 400mm x 400mm x 40mm
Units per LM: 2.5 Units
Weight per Unit: 15kg

300MM COPING




Size: 300mm x 300mm x 40mm
Units per LM: 3.33 Units
Weight per Unit: 9.5kg

250MM COPING



Size: 250mm x 250mm x 40mm
Units per LM: 4 Units
Weight per Unit: 5.5kg


Colour Options



Light Brown | Grey | Charcoal | Sandstone | Light Brown Blend | Grey Blend | Sandstone Blend | Sandstone Red Blend







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

CLADDING

Cement cladding is a versatile architectural material used in residential and commercial spaces, particularly for exterior facades, interior walls, and accents. Combining durability with aesthetic appeal, it enhances the visual impact of structures while protecting them from the elements.

Cladding is sold in a 1m² set, consisting of 30 units

400X195 CLADDING




Size: 400mm x 195mm
Units per Set: 4 Units

400X130 CLADDING



Size: 400mm x 130mm
Units per Set: 4 Units

195X60 CLADDING



Size: 195mm x 60mm
Units per Set: 6 Units

290X195 CLADDING



Size: 290mm x 195mm
Units per Set: 6 Units

130X130 CLADDING




Size: 130mm x 130mm
Units per Set: 6 Units

130X60 CLADDING



Size: 130mm x 60mm
Units per Set: 6 Units

Colour Options



Light Brown | Grey | Charcoal | Sandstone | Light Brown Blend | Grey Blend | Sandstone Blend | Sandstone Red Blend







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

BEVEL EDGED PAVERS

We manufacture a range of pressed bevel-edged pavers for both domestic and industrial use. They are primarily designed for driveways, roads, and parking areas but are also commonly used in pathways, patios, and garden edges. They offer a combination of durability, aesthetic appeal, and functionality, making them a suitable choice for your projects. With their bevelled edges, these pavers provide a smooth transition between each unit. Additionally, their interlocking design ensures stability, making them ideal for high-traffic areas. The product gives a smart, nonslip finish to any area and comes in a wide range of colours.

RECTANGULAR PAVER



Size: 200mm x 100mm x 60mm
Strength: 20-25Mpa
Units per M²: 50 Units
Weight per Unit: 2.5kg

INTERLOCK PAVER



Size: 200mm x 100mm x 65mm
Strength: 20-25Mpa
Units per M²: 50 Units
Weight per Unit: 2.5kg

COBBLE PAVER



Size: 100mm x 100mm x 50mm
Strength: 20-25Mpa
Units per M²: 100 Units
Weight per Unit: 1.2kg

Colour Options



Brown | Tan | Red | Grey | Charcoal







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

RETAINERS

Cement retainers are essential and versatile components for landscaping and construction projects where areas need to be retained. Our dry stack retaining wall systems offer a variety of options to suit all your retaining needs. They are effective for erosion control, creating terraced gardens, and stormwater control. The gaps in the retaining walls allow for vegetation growth and add to their aesthetic appeal.

D-SHAPED RETAINER




Size: 350mm x 400mm x 195mm
Units per M²: 14 Units
Weight per Unit: 22kg

E300 RETAINER



Size: 275mm x 400mm x 160mm
Units per M²: 14 Units
Weight per Unit: 25.5kg

L300 RETAINER



Size: 300mm x 450mm x 180mm
Units per M²: 10 Units
Weight per Unit: 31.5kg

Colour Options



Tan



Grey







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

BRICKS & BLOCKS

Cement bricks and blocks are essential products for durable and versatile construction, making them ideal for both residential and commercial projects. Their robust construction ensures strength and stability in diverse environmental conditions, offering reliable, cost-effective solutions for walls, foundations, and structural elements.

COMMON BRICK



Size: 210mm x 100mm x 70mm
Strength: 7 or 14Mpa Compressive
Units per M²: 55 Units
Weight per Unit: 3.5kg

A solid concrete brick used in a wide range of applications in modern buildings. Typically used as a single skin wall for internal walls and a double skin for external walls. Suitable to be used in the construction of multi-story buildings both domestic and industrial.

M140 BLOCK



Size: 390mm x 140mm x 190mm
Strength: 3.5 or 7Mpa Compressive
Units per M²: 12.5 Units
Weight per Unit: 13.5kg

Hollow building block typically used in the construction of internal and external walls.

M200 BLOCK



Size: 390mm x 190mm x 190mm
Strength: 3.5 or 7Mpa Compressive
Units per M²: 12.5 Units
Weight per Unit: 17.5kg

Hollow building block typically used in the construction of external walls.

039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

BRICKS & BLOCKS

MAXI 90 BRICK



Size: 220mm x 110mm x 90mm
Strength: 7 or 14Mpa Compressive
Units per M²: 33 Units
Weight per Unit: 4kg

A hollow 3-core brick used in a wide range of applications is more economical to build with due to fewer bricks being required per m² than common bricks, therefore saving time and mortar. It is suitable for use in the construction of multi-story buildings, both domestic and industrial.

MAXI 140 BLOCK



Size: 290mm x 140mm x 110mm
Strength: 3.5 or 7Mpa Compressive
Units per M²: 27 Units
Weight per Unit: 8kg

A solid brick/block is used in a wide range of applications in modern buildings. It is a cost-effective, quick construction solution as it can be used as a single skin for external walls, with the maxi 90 brick used for the internal walls.







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

LINTELS

Cement lintels are crucial building components, offering both durability and versatility for a variety of construction projects. Ideal for residential and commercial applications, they provide reliable support above doors, windows, and other structural openings. Their robust construction ensures long-lasting strength and stability, making them suitable for diverse environmental conditions.


BLOCK LINTEL



Size: 140mm x 110mm (5 Wire)
Stock Lengths: 900mm to 6m (in 300mm Increments)

A lintel is a structural support used to span an opening in a wall or between two vertical supports. It is frequently used over windows and doors. Lintels are generally used for load-bearing purposes. The block lintel is specifically produced to be used with M150 and Maxi 140 building blocks.

COMMON BRICK LINTEL



Size: 110mm x 70mm (5 Wire)
Stock Lengths: 900mm to 6m (in 300mm Increments)

A lintel is a structural support used to span an opening in a wall or between two vertical supports. It is frequently used over windows and doors. Lintels are generally used for load-bearing purposes. The common lintel is specifically produced to be used with common bricks.



039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

RIB & BLOCK SYSTEMS

Rib & block systems are versatile, efficient, and cost-effective construction solutions favoured for their load-bearing capabilities and quick, precise installation. Ideal for residential, commercial, and industrial projects, they provide robust floors and roofs.

Moreover, rib & block systems reduce the need for extensive formwork and simplify the construction process, lowering labour costs and material wastage. This makes them an economically attractive option for developers and homeowners alike. In essence, rib & block systems offer a modern approach to the construction of concret slabs that balances strength, efficiency, and adaptability.

Due to the slabs being easy and light to install, there is no need for cranes or large work areas. Our product is suitable for commercial and industrial developments, schools, townhouses, cluster homes, and domestic homes.

120MM DECKING BLOCK



Size: 500mm x 120mm x 200mm
Weight per Unit: 16.5kg

200MM DECKING BLOCK



Size: 500mm x 200mm x 200mm
Weight per Unit: 26.5kg

DECKING LINTEL




Size: 150mm x 60mm
Wire: 8x(4mm Wire)
Stock Lengths: Custom made to size.




039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie


RIB & BLOCK SYSTEMS




170MM SINGLE RIB



170MM DOUBLE RIB



255MM SINGLE RIB



255MM DOUBLE RIB









039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

KERBING

Cement kerbing is a versatile and essential material for landscaping, enhancing both aesthetics and functionality. It is used to define pathways, driveways, garden borders, and flower beds, providing a durable and attractive solution for residential and commercial projects. Its robust construction withstands outdoor conditions, offering long-lasting support.

FIGURE 6 KERB



Size: 1000mm x 230mm x 125mm
Units per LM: 1 Unit
Weight per Unit: 55kg

IRONSTONE KERB




Size: 500mm x 140mm x 75mm
Units per LM: 2 Units
Weight per Unit: 10kg

MINI KERB




Size: 750mm x 50mm x 100mm
Units per LM: 1.25 Units
Weight per Unit: 11kg

Colour Options



Grey Charcoal







039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

CEMENT SLEEPERS

Cement sleepers are versatile, durable materials for landscaping projects, enhancing both aesthetics and functionality. Used as stepping stones in pathways, paved areas, and edging features, they offer a reliable and visually appealing solution for both residential and commercial spaces. Their sturdy construction ensures long-lasting support and stability in various outdoor environments.

LARGE SLEEPER



Size: 840mm x 250mm x 50mm
Weight per Unit: 24kg

MEDIUM SLEEPER




Size: 530mm x 250mm x 50mm
Weight per Unit: 13.5kg

SMALL SLEEPER



Size: 450mm x 250mm x 50mm
Weight per Unit: 12.5kg

Colour Options



Light Brown | Grey | Charcoal | Sandstone | Light Brown Blend | Grey Blend | Sandstone Blend | Sandstone Red Blend



039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie

GRASS BLOCK PAVERS

Grass block pavers are a green landscaping solution ideal for driveways, roadways, and parking areas. These pavers are a favoured choice for both residential and commercial landscapes. Combining durability with an eco-friendly appeal, grass block pavers support soil health and provide natural drainage while enhancing the beauty of any outdoor space. Their open-grid design allows grass to grow through, creating a lush, integrated look that blends seamlessly with the surrounding environment.

GRASS BLOCK PAVER



Size: 500mm x 500mm x 110mm
Units per M²: 4 Units
Weight per Unit: 35.5kg





039 976 1066 info@countrystone.co.za 239 Payne Street, Park Rynie